



# PRODUCT PERFORMANCE REPORT

Document ID 1531820424

Issued on July 17th, 2018

## PROJECT IDENTIFICATION - This product performance report is delivered for:

Name -  
 Company **Alklima bv**  
 Project reference **Intern**  
 Project location **Netherlands**

## PRODUCT IDENTIFICATION

Certification Diploma N° **15.10.006**  
 Brand **MITSUBISHI ELECTRIC**  
 Range **S-Series**  
 Product type **Débit de réfrigérant variable / Air Cooled / Reverse cycle**  
 Product reference **PUMY-SP125VKM**

### Important notice:

- I. Data featured in this report are valid at the date of issue. The scope of this product performance report does not include all certified data that can be checked at <http://www.eurovent-certification.com>
- II. This product performance report is valid only for above product features and should not be referred to as a Diploma.

FEATURE	VALUE	UNIT
<b>Acoustics</b>		
LwO env	73.0	dB(A)
<b>Acoustics in heating</b>		
LwO env in heating	76.0	dB(A)
<b>Cooling</b>		
Pc out	14.0	kW
Pec out	3.84	kW
EERout	3.65	
<b>General - Product</b>		
Mounting	Ducted	
IU Range Names	PEFY-P*VMA3	
MPS	220V-240V,1,50Hz	
Refrigerant	R410A	
<b>Heating</b>		
Ph out	16.0	kW
Peh out	3.9	kW
COPout	4.1	
<b>SeasonalCooling</b>		
Pdesignc	14.0	kW
SEER	6.6025	
&eta; sc	261.1	%
<b>SeasonalHeating</b>		
Pdesignh	10.5	kW



# PRODUCT PERFORMANCE REPORT

Document ID 1531820424

Issued on July 17th, 2018

FEATURE	VALUE	UNIT
SCOP	3.9325	
&eta; sh	154.3	%