




ENERG

енергия · ενεργεια



Indoor unit
Outdoor unit

ERST30D-VM2EE
SUZ-SWM80VA2



A+++

A++

A+

A

B

C

D

A++



A+

A

B

C

D

E

F

A+



41dB



60dB



06 kW

07 kW

08 kW



PRODUCT FICHE

Mitsubishi Electric Erp Directive Related Product Information: erp.mitsubishielectric.eu/erp
Details and precautions on installation, maintenance and assembly can be found in the installation and or operation manuals.
This information is based on EU regulation No 811/2013 and No 813/2013.

1. SPACE HEATER

| | | | | |
|------------------------------------|----|---|-----|---------------|
| For medium-temperature application | 1 | Outdoor unit | | SUZ-SWM80VA2 |
| | 2 | Indoor unit | | ERST30D-VM2EE |
| | 3 | Medium-temperature application | | ✓ |
| | 6 | Seasonal space heating energy efficiency class | | A++ |
| | 8 | Rated heat output under average climate conditions | kW | 7 |
| | 11 | Seasonal space heating energy efficiency under average climate conditions | % | 135 |
| | 9 | For space heating, annual energy consumption under average climate conditions | kWh | 4207 |
| | 13 | Sound power level L _{WA} indoor | dB | 41 |
| | 15 | Rated heat output under colder climate conditions | kW | 6 |
| | 16 | Rated heat output under warmer climate conditions | kW | 8 |
| | 21 | Seasonal space heating energy efficiency under colder climate conditions | % | 105 |
| | 22 | Seasonal space heating energy efficiency under warmer climate conditions | % | 176 |
| | 17 | For space heating, annual energy consumption under colder climate conditions | kWh | 5002 |
| | 18 | For space heating, annual energy consumption under warmer climate conditions | kWh | 2239 |
| | 25 | Sound power level L _{WA} outdoor | dB | 60 |
| For low-temperature application | 4 | Low-temperature application | | ✓ |
| | 6 | Seasonal space heating energy efficiency class | | A+++ |
| | 8 | Rated heat output under average climate conditions | kW | 7 |
| | 11 | Seasonal space heating energy efficiency under average climate conditions | % | 187 |
| | 9 | For space heating, annual energy consumption under average climate conditions | kWh | 2874 |
| | 13 | Sound power level L _{WA} indoor | dB | 41 |
| | 15 | Rated heat output under colder climate conditions | kW | 6 |
| | 16 | Rated heat output under warmer climate conditions | kW | 8 |
| | 21 | Seasonal space heating energy efficiency under colder climate conditions | % | 148 |
| | 22 | Seasonal space heating energy efficiency under warmer climate conditions | % | 243 |
| | 17 | For space heating, annual energy consumption under colder climate conditions | kWh | 3797 |
| | 18 | For space heating, annual energy consumption under warmer climate conditions | kWh | 1626 |
| | 25 | Sound power level L _{WA} outdoor | dB | 60 |

2. COMBINATION HEATER

| | | | | |
|------------------------------------|----|--|-----|---------------|
| For medium-temperature application | 1 | Outdoor unit | | SUZ-SWM80VA2 |
| | 2 | Indoor unit | | ERST30D-VM2EE |
| | 3 | Medium-temperature application | | ✓ |
| | 5 | Declared load profile | | XL |
| | 6 | Seasonal space heating energy efficiency class | | A++ |
| | 7 | Water heating energy efficiency class | | A+ |
| | 8 | Rated heat output under average climate conditions | kW | 7 |
| | 9 | For space heating, annual energy consumption under average climate conditions | kWh | 4207 |
| | 10 | For water heating, annual electricity consumption under average climate conditions | kWh | 1377 |
| | 11 | Seasonal space heating energy efficiency under average climate conditions | % | 135 |
| | 12 | Water heating energy efficiency under average climate conditions | % | 125 |
| | 13 | Sound power level L _{WA} indoor | dB | 41 |
| | 14 | Work only during off-peak hours | | - |
| | 15 | Rated heat output under colder climate conditions | kW | 6 |
| | 16 | Rated heat output under warmer climate conditions | kW | 8 |
| | 17 | For space heating, annual energy consumption under colder climate conditions | kWh | 5002 |
| | 18 | For space heating, annual energy consumption under warmer climate conditions | kWh | 2239 |
| | 19 | For water heating, annual energy consumption under colder climate conditions | kWh | 1704 |
| | 20 | For water heating, annual energy consumption under warmer climate conditions | kWh | 1138 |
| | 21 | Seasonal space heating energy efficiency under colder climate conditions | % | 105 |
| | 22 | Seasonal space heating energy efficiency under warmer climate conditions | % | 176 |
| | 23 | Water heating energy efficiency under colder climate conditions | % | 101 |
| | 24 | Water heating energy efficiency under warmer climate conditions | % | 152 |
| | 25 | Sound power level L _{WA} outdoor | dB | 60 |
| For low-temperature application | 4 | Low-temperature application | | ✓ |
| | 5 | Declared load profile | | XL |
| | 6 | Seasonal space heating energy efficiency class | | A+++ |
| | 7 | Water heating energy efficiency class | | A+ |
| | 8 | Rated heat output under average climate conditions | kW | 7 |
| | 9 | For space heating, annual energy consumption under average climate conditions | kWh | 2874 |
| | 10 | For water heating, annual electricity consumption under average climate conditions | kWh | 1377 |
| | 11 | Seasonal space heating energy efficiency under average climate conditions | % | 187 |
| | 12 | Water heating energy efficiency under average climate conditions | % | 125 |
| | 13 | Sound power level L _{WA} indoor | dB | 41 |
| | 14 | Work only during off-peak hours | | - |
| | 15 | Rated heat output under colder climate conditions | kW | 6 |
| | 16 | Rated heat output under warmer climate conditions | kW | 8 |
| | 17 | For space heating, annual energy consumption under colder climate conditions | kWh | 3797 |
| | 18 | For space heating, annual energy consumption under warmer climate conditions | kWh | 1626 |
| | 19 | For water heating, annual energy consumption under colder climate conditions | kWh | 1704 |
| | 20 | For water heating, annual energy consumption under warmer climate conditions | kWh | 1138 |
| | 21 | Seasonal space heating energy efficiency under colder climate conditions | % | 148 |
| | 22 | Seasonal space heating energy efficiency under warmer climate conditions | % | 243 |
| | 23 | Water heating energy efficiency under colder climate conditions | % | 101 |
| | 24 | Water heating energy efficiency under warmer climate conditions | % | 152 |
| | 25 | Sound power level L _{WA} outdoor | dB | 60 |

| | | | | |
|----|--|--|--|--|
| | English Deutsch Français | Nederlands Español Italiano | Ελληνικά Português Dansk | Svenska Norsk Suomi |
| | This sheet describes the information in the product fiche in each language. Dieses Blatt beschreibt die Informationen auf dem Produktdatenblatt in jeder Sprache. Cette feuille décrit les informations de la fiche du produit dans chaque langue. | Dit blad bevat de informatie van de productspecificatietabel in elke taal. Esta hoja describe la información de la ficha del producto en cada idioma. Questo foglio descrive le informazioni contenute nella scheda prodotto in ciascuna lingua. | Σε αυτό το φύλλο περιγράφονται οι πληροφορίες του δελτίου προϊόντος σε κάθε γλώσσα. Nesta página estão descritas, em cada idioma, as informações contidas na ficha de produto. Dette ark beskriver oplysningerne i produktdatabladet på hvert sprog. | Det här arket beskriver informationen i informationsbladet på varje språk. Dette arket beskriver informasjonen i produkttabellen på hvert språk. Tässä asiakirjassa kerrotaan tuoteselosteen tiedot kullakin kielellä. |
| 1 | Outdoor unit Außengerät unité extérieure | buitenunit unidad exterior unità esterna | Εξωτερική μονάδα unidade exterior Udendørs enhed | Utomhusenhet Utendørsenhet Ulkoyksikkö |
| 2 | Indoor unit Innengerät unité intérieure | binnenunit unidad interior unità interna | Εσωτερική μονάδα unidade interior Indendørs enhed | Inomhusenhet Innendørsenhet Sisäyksikkö |
| 3 | Medium-temperature application Mitteltemperaturanwendung l'application à moyenne température | midentemperatuur-toepassing la aplicación de media temperatura le applicazioni a media temperatura | η εφαρμογή σε μέση θερμοκρασία a aplicação a média temperatura middeltemperatuurverwendelsen | mediumtemperaturapplikation Bruk ved middels temperatur keskilämpötilan sovellus |
| 4 | Low-temperature application Niedertemperaturanwendung l'application à basse température | lagetemperatuur-toepassing la aplicación de baja temperatura le applicazioni a bassa temperatura | η εφαρμογή σε χαμηλή θερμοκρασία a aplicação a baixa temperatura lavtemperatuurverwendelsen | lågtemperaturapplikation Bruk ved lav temperatur matalanlämpötilan sovellus |
| 5 | Declared load profile Angegebenes Lastprofil Profil de soutirage déclaré | Opgegeven capaciteitsprofiel Perfil de carga declarado Profilo di carico dichiarato | Δηλωμένο προφίλ φορτίου Perfil de carga declarado Angivet forbrugsprofil | Deklarerad belastningsprofil Deklarert belastningsprofil Ilmoitettu kuormitusprofiili |
| 6 | Seasonal space heating energy efficiency class die Klasse für die jahreszeitbedingte Raumheizungs-Energieeffizienz la classe d'efficacité énergétique saisonnière, pour le chauffage des locaux | de seizoensgebonden energie-efficiëntieklasse voor ruimteverwarming la clase de eficiencia energética estacional de calefacción la classe di efficienza energetica stagionale del riscaldamento d'ambiente | η τάξη ενεργειακής απόδοσης της εποχιακής θέρμανσης χώρου A classe de eficiência energética do aquecimento ambiente sazonal klassen for årsvirkningsgrad ved rumopvarmning | säsongsrelaterade energieffektivitetsklass vid rumsuppvärmning Sesongrelatert energieffektivitetsklasse for romopppvarming tilalämmityksen kausittainen energiatehokkuusluokka |
| 7 | Water heating energy efficiency class die Klasse für die Warmwasserbereitungs-Energieeffizienz la classe d'efficacité énergétique, pour le chauffage de l'eau | de energie-efficiëntieklasse voor waterverwarming la clase de eficiencia energética del caldeo de agua la classe di efficienza energetica del riscaldamento dell'acqua | η τάξη ενεργειακής απόδοσης θέρμανσης νερού A classe de eficiência energética do aquecimento de água klassen for årsvirkningsgrad ved vandopvarmning | energieffektivitetsklass vid vattenuppvärmning Energieffektivitetsklasse for vannopppvarming vedenlämmityksen energiatehokkuusluokka |
| 8 | Rated heat output under average climate conditions die Wärmenennleistung bei durchschnittlichen Klimaverhältnissen la puissance thermique nominale dans les conditions climatiques moyennes | de nominale warmteafgifte (onder gemiddelde klimaatomstandigheden) la potencia calorífica nominal(en condiciones climáticas medias) la potenza termica nominale(in condizioni climatiche medie) | η ονομαστική θερμική ισχύς(υπό μέσες κλιματικές συνθήκες) A potência calorífica nominal(em condições climáticas médias) den nominelle nytteeffekt(under gennemsnitlige klimaforhold) | Den nominella avgivna värmeeffekten(under genomsnittliga klimatförhållanden) Nominell varmeeffekt ved genomsnittlige klimaforhold nimellislämpöteho(keskimääräisissä ilmasto-olosuhteissa) |
| 9 | For space heating, annual energy consumption under average climate conditions für die Raumheizung, den jährlichen Energieverbrauch bei durchschnittlichen Klimaverhältnissen pour le chauffage des locaux, la consommation annuelle d'énergie(dans les conditions climatiques moyennes) | voor ruimteverwarming, het jaarlijkse energieverbruik(onder gemiddelde klimaatomstandigheden) para calentar espacios, el consumo anual de energía(en condiciones climáticas medias) per il riscaldamento d'ambiente, il consumo annuo di energia(in condizioni climatiche medie) | για τη θέρμανση χώρου, η ετήσια κατανάλωση ενέργειας(υπό μέσες κλιματικές συνθήκες) Para o aquecimento ambiente, o consumo anual de energia(em condições climáticas médias) for rumopvarmning det årlige energiforbrug(under gennemsnitlige klimaforhold) | För rumsuppvärmning, årlig energiförbrukning(vid genomsnittliga klimatförhållanden) Årlig energiforbruk for romopppvarming ved genomsnittlige klimaforhold tilalämmityksestä vuotuinen energiankulutus(keskimääräisissä ilmasto-olosuhteissa) |
| 10 | For water heating, annual electricity consumption under average climate conditions für die Warmwasserbereitung, den jährlichen Stromverbrauch bei durchschnittlichen Klimaverhältnissen pour le chauffage de l'eau, la consommation annuelle d'électricité(dans les conditions climatiques moyennes) | voor waterverwarming, het jaarlijkse elektriciteitsverbruik(onder gemiddelde klimaatomstandigheden) para calentar agua, el consumo anual de electricidad(en condiciones climáticas medias) per il riscaldamento dell'acqua, il consumo annuo di energia(in condizioni climatiche medie) | για την θέρμανση νερού, η ετήσια κατανάλωση ηλεκτρικής ενέργειας(υπό μέσες κλιματικές συνθήκες) para o aquecimento de água, o consumo anual de eletricidade(em condições climáticas médias) for vandopvarmning det årlige elforbrug(under gennemsnitlige klimaforhold) | För vattenuppvärmning, årlig elförbrukning(vid genomsnittliga klimatförhållanden) Årlig strömforbruk for vannopppvarming ved genomsnittlige klimaforhold vedenlämmityksestä vuotuinen sähkönkulutus(keskimääräisissä ilmasto-olosuhteissa) |
| 11 | Seasonal space heating energy efficiency under average climate conditions die jahreszeitbedingte Raumheizungs-Energieeffizienz bei durchschnittlichen Klimaverhältnissen l'efficacité énergétique saisonnière pour le chauffage des locaux(dans les conditions climatiques moyennes) | de seizoensgebonden energie-efficiëntie voor ruimteverwarming(onder gemiddelde klimaatomstandigheden) la eficiencia energética estacional de calefacción(en condiciones climáticas medias) l'efficienza energetica stagionale di riscaldamento d'ambiente(in condizioni climatiche medie) | η ενεργειακή απόδοση της εποχιακής θέρμανσης χώρου(υπό μέσες κλιματικές συνθήκες) A eficiência energética do aquecimento ambiente sazonal(em condições climáticas médias) årsvirkningsgraden ved rumopvarmning(under gennemsnitlige klimaforhold) | Säsongsmedelverkningsgrad för rumsuppvärmning(vid genomsnittliga klimatförhållanden) Sesongrelatert energieffektivitet for romopppvarming ved genomsnittlige klimaforhold tilalämmityksen kausittainen energiatehokkuus(keskimääräisissä ilmasto-olosuhteissa) |
| 12 | Water heating energy efficiency under average climate conditions die Warmwasserbereitungs-Energieeffizienz bei durchschnittlichen Klimaverhältnissen l'efficacité énergétique pour le chauffage de l'eau(dans les conditions climatiques moyennes) | de energie-efficiëntie voor waterverwarming(onder gemiddelde klimaatomstandigheden) la eficiencia energética del caldeo de agua(en condiciones climáticas medias) l'efficienza energetica di riscaldamento dell'acqua(in condizioni climatiche medie) | η ενεργειακή απόδοση θέρμανσης νερού(υπό μέσες κλιματικές συνθήκες) a eficiência energética do aquecimento de água(em condições climáticas médias) energieeffektiviteten ved vandopvarmning(under gennemsnitlige klimaforhold) | Energieffektivitet ved vattenuppvärmning(vid genomsnittliga klimatförhållanden) Energieffektivitet for vannopppvarming ved genomsnittlige klimaforhold vedenlämmityksen energiatehokkuus(keskimääräisissä ilmasto-olosuhteissa) |
| 13 | Sound power level L _{WA} indoor der Schalleistungspegel L _{WA} , in Gebäuden le niveau de puissance acoustique L _{WA} , à l'intérieur | het geluidsvermogensniveau L _{WA} binnen el nivel de potencia acústica L _{WA} en interiores il livello di potenza sonora L _{WA} all'interno | η στάθμη ηχητικής ισχύος L _{WA} εσωτερικού χώρου O nível de potência sonora L _{WA} no interior lydeeffektniveauet L _{WA} i inde | Ljudeffektivnivå L _{WA} i inomhus Lydeffektivnivå L _{WA} innendørs äänitehotaso L _{WA} sisällä |
| 14 | Work only during off-peak hours dass ein ausschließlicher Betrieb des Kombiheizgerätes zu Schwachlastzeiten fonctionner qu'en heures creuses | werken uitsluitend in de daluren funcionar solamente durante las horas de baja demanda funzione soltanto durante le ore morte | λειτουργία μόνο εκτός των ωρών αιχμής de funcionar unicamente fora das horas de pico fungere uden for spidsbelastningsperioder | drivas uteslutande under perioder med låg belastning Bruk kun i perioder med lav belastning toimimaan ainoastaan kulutushuippujen ulkopuolella |
| 15 | Rated heat output under colder climate conditions die Wärmenennleistung bei kälteren Klimaverhältnissen la puissance thermique nominale, dans les conditions climatiques plus froides | de nominale warmteafgifte, onder koudere klimaatomstandigheden la potencia calorífica nominal en condiciones climáticas más frías la potenza termica nominale, in condizioni climatiche più fredde | η ονομαστική θερμική ισχύς υπό ψυχρότερες κλιματικές συνθήκες A potência calorífica nominal em condições climáticas mais frias den nominelle nytteeffekt under koldere klimaforhold | Nominell avgiven värmeeffekt vid kallare klimatförhållanden Nominell varmeeffekt ved kaldere klimaforhold nimellislämpöteho, kylmissä ilmasto-olosuhteissa |
| 16 | Rated heat output under warmer climate conditions die Wärmenennleistung bei wärmeren Klimaverhältnissen la puissance thermique nominale, dans les conditions climatiques plus chaudes | de nominale warmteafgifte, onder warmere klimaatomstandigheden la potencia calorífica nominal en condiciones climáticas más cálidas la potenza termica nominale, in condizioni climatiche più calde | η ονομαστική θερμική ισχύς υπό θερμότερες κλιματικές συνθήκες A potência calorífica nominal em condições climáticas mais quentes den nominelle nytteeffekt under varmere klimaforhold | Nominell avgiven värmeeffekt vid varmare klimatförhållanden Nominell varmeeffekt ved varmere klimaforhold nimellislämpöteho, lämpimissä ilmasto-olosuhteissa |
| 17 | For space heating, annual energy consumption under colder climate conditions für die Raumheizung, der jährliche Energieverbrauch bei kälteren Klimaverhältnissen pour le chauffage des locaux, la consommation annuelle d'énergie, dans les conditions climatiques plus froides | voor ruimteverwarming, het jaarlijkse energieverbruik onder koudere klimaatomstandigheden para calentar espacios, el consumo anual de energía en condiciones climáticas más frías per il riscaldamento d'ambiente, il consumo annuo di energia, in condizioni climatiche più fredde | για θέρμανση χώρου, η ετήσια κατανάλωση ενέργειας υπό ψυχρότερες κλιματικές συνθήκες Para o aquecimento ambiente, o consumo anual de energia em condições climáticas mais frias for rumopvarmning det årlige energiforbrug under koldere klimaforhold | För rumsuppvärmning, årlig energiförbrukning under kallare klimatförhållanden Årlig energiforbruk for romopppvarming ved kaldere klimaforhold tilalämmityksestä vuotuinen energiankulutus kylmissä ilmasto-olosuhteissa |
| 18 | For space heating, annual energy consumption under warmer climate conditions für die Raumheizung, der jährliche Energieverbrauch bei wärmeren Klimaverhältnissen pour le chauffage des locaux, la consommation annuelle d'énergie, dans les conditions climatiques plus chaudes | voor ruimteverwarming, het jaarlijkse energieverbruik onder warmere klimaatomstandigheden para calentar espacios, el consumo anual de energía en condiciones climáticas más cálidas per il riscaldamento d'ambiente, il consumo annuo di energia, in condizioni climatiche più calde | για θέρμανση χώρου, η ετήσια κατανάλωση ενέργειας υπό θερμότερες κλιματικές συνθήκες Para o aquecimento ambiente, o consumo anual de energia em condições climáticas mais quentes for rumopvarmning det årlige energiforbrug under varmere klimaforhold | För rumsuppvärmning, årlig energiförbrukning under varmare klimatförhållanden Årlig energiforbruk for romopppvarming ved varmere klimaforhold tilalämmityksestä vuotuinen energiankulutus lämpimissä ilmasto-olosuhteissa |
| 19 | For water heating, annual energy consumption under colder climate conditions für die Warmwasserbereitung, der jährliche Stromverbrauch bei kälteren Klimaverhältnissen pour le chauffage de l'eau, la consommation annuelle d'électricité, dans les conditions climatiques plus froides | voor waterverwarming, het jaarlijkse elektriciteitsverbruik onder koudere klimaatomstandigheden para calentar agua, el consumo anual de electricidad en condiciones climáticas más frías per il riscaldamento dell'acqua, il consumo annuo di energia, in condizioni climatiche più fredde | για θέρμανση νερού, η ετήσια κατανάλωση ηλεκτρικής ενέργειας υπό ψυχρότερες κλιματικές συνθήκες para o aquecimento de água, o consumo anual de eletricidade em condições climáticas mais frias for vandopvarmning det årlige elforbrug under koldere klimaforhold | För vattenuppvärmning, årlig elförbrukning under kallare klimatförhållanden Årlig energiforbruk for vannopppvarming ved kaldere klimaforhold vedenlämmityksestä vuotuinen sähkönkulutus kylmissä ilmasto-olosuhteissa |
| 20 | For water heating, annual energy consumption under warmer climate conditions für die Warmwasserbereitung, der jährliche Stromverbrauch bei wärmeren Klimaverhältnissen pour le chauffage de l'eau, la consommation annuelle d'électricité, dans les conditions climatiques plus chaudes | voor waterverwarming, het jaarlijkse elektriciteitsverbruik onder warmere klimaatomstandigheden para calentar agua, el consumo anual de electricidad en condiciones climáticas más cálidas per il riscaldamento dell'acqua, il consumo annuo di energia, in condizioni climatiche più calde | για θέρμανση νερού, η ετήσια κατανάλωση ηλεκτρικής ενέργειας υπό θερμότερες κλιματικές συνθήκες para o aquecimento de água, o consumo anual de eletricidade em condições climáticas mais quentes for vandopvarmning det årlige elforbrug under varmere klimaforhold | För vattenuppvärmning, årlig elförbrukning under varmare klimatförhållanden Årlig energiforbruk for vannopppvarming ved varmere klimaforhold vedenlämmityksestä vuotuinen sähkönkulutus lämpimissä ilmasto-olosuhteissa |
| 21 | Seasonal space heating energy efficiency under colder climate conditions die jahreszeitbedingte Raumheizungs-Energieeffizienz bei kälteren Klimaverhältnissen l'efficacité énergétique saisonnière pour le chauffage des locaux, dans les conditions climatiques plus froides | de seizoensgebonden energie-efficiëntie voor ruimteverwarming onder koudere klimaatomstandigheden la eficiencia energética estacional de calefacción en condiciones climáticas más frías l'efficienza energetica stagionale di riscaldamento d'ambiente in condizioni climatiche più fredde | η ενεργειακή απόδοση της εποχιακής θέρμανσης χώρου υπό ψυχρότερες κλιματικές συνθήκες A eficiência energética do aquecimento ambiente sazonal em condições climáticas mais frias årsvirkningsgraden ved rumopvarmning under koldere klimaforhold | Säsongsmedelverkningsgrad för rumsuppvärmning under kallare klimatförhållanden Sesongrelatert energieffektivitet for romopppvarming ved kaldere klimaforhold tilalämmityksen kausittainen energiatehokkuus kylmissä ilmasto-olosuhteissa |
| 22 | Seasonal space heating energy efficiency under warmer climate conditions die jahreszeitbedingte Raumheizungs-Energieeffizienz bei wärmeren Klimaverhältnissen l'efficacité énergétique saisonnière pour le chauffage des locaux, dans les conditions climatiques plus chaudes | de seizoensgebonden energie-efficiëntie voor ruimteverwarming onder warmere klimaatomstandigheden la eficiencia energética estacional de calefacción en condiciones climáticas más cálidas l'efficienza energetica stagionale di riscaldamento d'ambiente in condizioni climatiche più calde | η ενεργειακή απόδοση της εποχιακής θέρμανσης χώρου υπό θερμότερες κλιματικές συνθήκες A eficiência energética do aquecimento ambiente sazonal em condições climáticas mais quentes årsvirkningsgraden ved rumopvarmning under varmere klimaforhold | Säsongsmedelverkningsgrad för rumsuppvärmning under varmare klimatförhållanden Sesongrelatert energieffektivitet for romopppvarming ved varmere klimaforhold tilalämmityksen kausittainen energiatehokkuus lämpimissä ilmasto-olosuhteissa |
| 23 | Water heating energy efficiency under colder climate conditions die Warmwasserbereitungs-Energieeffizienz bei kälteren Klimaverhältnissen l'efficacité énergétique pour le chauffage de l'eau, dans les conditions climatiques plus froides | de energie-efficiëntie voor waterverwarming onder koudere klimaatomstandigheden la eficiencia energética de caldeo de agua en condiciones climáticas más frías l'efficienza energetica di riscaldamento dell'acqua in condizioni climatiche più fredde | η ενεργειακή απόδοση της θέρμανσης νερού υπό ψυχρότερες κλιματικές συνθήκες a eficiência energética do aquecimento de água em condições climáticas mais frias energieeffektiviteten ved vandopvarmning under koldere klimaforhold | Energieffektivitet ved vattenuppvärmning under kallare klimatförhållanden Energieffektivitet for vannopppvarming ved kaldere klimaforhold vedenlämmityksen energiatehokkuus kylmissä ilmasto-olosuhteissa |
| 24 | Water heating energy efficiency under warmer climate conditions die Warmwasserbereitungs-Energieeffizienz bei wärmeren Klimaverhältnissen l'efficacité énergétique pour le chauffage de l'eau, dans les conditions climatiques plus chaudes | de energie-efficiëntie voor waterverwarming onder warmere klimaatomstandigheden la eficiencia energética de caldeo de agua en condiciones climáticas más cálidas l'efficienza energetica di riscaldamento dell'acqua in condiciones climatiche più calde | η ενεργειακή απόδοση της θέρμανσης νερού υπό θερμότερες κλιματικές συνθήκες a eficiência energética do aquecimento de água em condições climáticas mais quentes energieeffektiviteten ved vandopvarmning under varmere klimaforhold | Energieffektivitet ved vattenuppvärmning under varmare klimatförhållanden Energieffektivitet for vannopppvarming ved varmere klimaforhold vedenlämmityksen energiatehokkuus lämpimissä ilmasto-olosuhteissa |
| 25 | Sound power level L _{WA} outdoor der Schalleistungspegel L _{WA} im Freien le niveau de puissance acoustique L _{WA} à l'extérieur | het geluidsvermogensniveau L _{WA} buiten el nivel de potencia acústica L _{WA} en exteriores il livello di potenza sonora L _{WA} all'esterno | η στάθμη ηχητικής ισχύος L _{WA} εξωτερικού χώρου O nível de potência sonora L _{WA} no exterior lydeeffektniveau L _{WA} i ude | Ljudeffektivnivå L _{WA} i utomhus Lydeffektivnivå L _{WA} utendørs äänitehotaso L _{WA} ulkona |

| | | | | |
|----|--|--|--|---|
| | Čeština | Slovenčina | Română | Lietuviškai |
| | Polski | Magyar | Eesti | Hrvatski |
| | Български | Slovenščina | Latviski | Srpski |
| | Tento list popisuje informace na kartě výrobků v jednotlivých jazycích. | Tento list obsahuje informácie z karty výrobku v jednotlivých jazykoch. | Această pagină descrie informațiile din fișa produsului în fiecare limbă. | Šiame lapę apibūdinama informacija produkto pakuo­­tėje kiekvieną kalbą. |
| | Ten arkusz zawiera informacje umieszczone w kartce produktu w każdym języku. | Ez a táblázat a termékismertető adattapon található információkat tartalmazza külön­­böző nyelveken. | Sellel lehel on toodu tootekirjelduse teave igas keeles. | Ovaj list opisuje informacije u specifikaciji proizvoda na svakom jeziku. |
| | На този лист се описва информацията в продуктовия фиш за всеки език. | Na tem listu so opisane informacije v podatkovni kartici izdelka v vsakem jeziku. | Šajā lapā visās valodās izskaidrota izstrādājumu datu lapās ietvertā informācija. | Ovaj list opisuje informacije u dokumentu proizvoda na svakom jeziku. |
| 1 | Venkovní jednotka | Exteriérová jednotka | Unitate exterioră | Išorinis įrenginys |
| | jednostka zewnętrzna | Kültéri egység | Välisseade | Vanjska jedinica |
| | Външно тяло | Zunanja enota | Ārējā iekārta | Spoljna jedinica |
| 2 | Vnitřní jednotka | Interiérová jednotka | Unitate interioară | Vidaus įrenginys |
| | jednostka wewnętrzna | Beltéri egység | Siseseade | Unutarnja jedinica |
| | Вътрешно тяло | Notranja enota | Iekšējā iekārta | Unutrašnja jedinica |
| 3 | středněteplotní aplikace | Použitie pri stredných teplotách | Aplicație la temperatură medie | Naudojimas vidutinėje temperatūroje |
| | zastosowania w średnich temperaturach | Közepes hőmérsékletű alkalmazás | Kasutamine keskmise temperatuuriga | Primjena na srednjim temperaturama |
| | среднотемпературното приложение | Uporaba pri srednjih temperaturah | Lietojo­­t vidējā temperatūrā | Primen­­a srednje temperature |
| 4 | nizkoteplotní aplikace | Použitie pri nízkych teplotách | Aplicație la temperatură scăzută | Naudojimas žemoje temperatūroje |
| | zastosowania w niskich temperaturach | Alacsony hőmérsékletű alkalmazás | Kasutamine madala temperatuuriga | Primjena na niskim temperaturama |
| | нискотемпературни приложения | Uporaba pri nizkih temperaturah | Lietojo­­t zemā temperatūrā | Primen­­a niske temperature |
| 5 | Deklarovaný zátěžový profil | Deklarovaný profil zariadenia | Profil de sarcină declarat | Pateiktas įkrovos profilis |
| | Deklarowany profil obciążeń | Bejelentett terhelési profil | Deklaareitud koormusgraafik | Profil deklariranog opterećenja |
| | Обявен товаров профил | Določeni profil obremenitve | Noteiktais slodzes profils | Utvrdēni profil opterećenja |
| 6 | třída sezonní energetické účinnosti vytápění | Trieda energetickej účinnosti sezónneho vykurovania priestoru | Clasă de eficiență energetică pentru încălzirea sezonieră a încăperilor | Sezoninio erdvės šildymo energijos našumo klasė |
| | klasa sezonowej efektywności energetycznej ogrzewania pomieszczeń | Időszakos besőtérfűtési energiahatékonysági osztály | Ruumide hooajalise kütte energiatõhusklass | Razred sezoneks energetske učinkovitosti grijanja prostora |
| | класът на сезонната отоплителна енергийна ефективност | Razred sezoneks energijske učinkovitosti pri ogrevanju prostorov | Sezonālas telpas apsides energioefektivitātes klase | Klasa energetske efikasnosti za sezonsko grejanje prostora |
| 7 | třída energetické účinnosti ohřevu vody | Trieda energetickej účinnosti ohrevu vody | Clasă de eficiență energetică pentru încălzirea apei | Vandens šildymo energijos našumo klasė |
| | klasa efektywności energetycznej podgrzewania wody | Vízfűtési energiahatékonysági osztály | Veesoojenduse energiatõhusklass | Razred energetske učinkovitosti grijanja vode |
| | класът на енергийната ефективност при подгръване на вода | Razred energijske učinkovitosti pri ogrevanju vode | Ūdens uzsildīšanas energioefektivitātes klase | Klasa energetske efikasnosti za grejanje vode |
| 8 | imenovitý tepelný výkon (za průměrných klimatických podmínek) | Menovitý tepelný výkon pri priemerných klimatických podmienkach | Putere termică nominală în condiții climatice medii | Vardinė šilumos galia esant vidutinėms klimato sąlygoms |
| | znamionowa moc cieplna(w warunkach klimatu umiarkowanego) | Névleges hőleadás átlagos éghajlati körülmények mellett | Nimisoojusvõimsus keskmistes ilmastikutingimustes | Nazivna toplinska snaga u prosječnim klimatskim uvjetima |
| | номиналната топлинна мощност(при средни климатични условия) | Nazivna izhodna toplota v povprečnih podnebnih razmerah | Nominālā siltuma jauda standarta klimata apstākļos | Nazivna toplotna snaga u prosečnim klimatskim uslovima |
| 9 | pro vytápění – roční spotřeba energie za průměrných klimatických podmínek | Pri vykurovaní priestorov ročná spotreba energie pri priemerných klimatických podmienkach | Pentru încălzirea încăperilor, consumul anual de energie în condiții climatice medii | Metinės energijos sąnaudos erdvei šildyti esant vidutinėms klimato sąlygoms |
| | w odniesieniu do ogrzewania pomieszczeń, roczne zużycie energii(w warunkach klimatu umiarkowanego) | Éves energiafogyasztás átlagos éghajlati körülmények mellett, besőtérfűtés esetén | Ruumide kütte keskmine energiakasutus aastas keskmistes ilmastikutingimustes | Za grijanje prostora, godišnja potrošnja energije u prosječnim klimatskim uvjetima |
| | за отопление, годишното потребление на енергия(при средни климатични условия) | Za ogrevanje prostorov, letna poraba energije v povprečnih podnebnih razmerah | Gada enerģijas patēriņš standarta klimata apstākļos, apsildot telpas | Za grejanje prostora, godišnja potrošnja energije u prosečnim klimatskim uslovima |
| 10 | pro ohřev vody – roční spotřeba elektrické energie za průměrných klimatických podmínek | Pri ohreve vody ročná spotreba elektrickej energie pri priemerných klimatických podmienkach | Pentru încălzirea apei, consumul anual de electricitate în condiții climatice medii | Metinės elektros sąnaudos vandeniui šildyti esant vidutinėms klimato sąlygoms |
| | w odniesieniu do podgrzewania wody, roczne zużycie energii elektrycznej(w warunkach klimatu umiarkowanego) | Éves elektromosáram-fogyasztás átlagos éghajlati körülmények mellett, vízfűtés esetén | Veesoojenduse keskmine elektritarbimine aastas keskmistes ilmastikutingimustes | Za grijanje vode, godišnja potrošnja električne energije u prosječnim klimatskim uvjetima |
| | за подгръване на вода, годишното потребление(при средни климатични условия) | Za ogrevanje vode, letna poraba električne energije v povprečnih podnebnih razmerah | Gada enerģijas patēriņš standarta klimata apstākļos, sildot ūdeni | Za grejanje vode, godišnja potrošnja struje u prosečnim klimatskim uslovima |
| 11 | sezonní energetická účinnost vytápění za průměrných klimatických podmínek | Energetická účinnost sezónneho vykurovania priestorov pri priemerných klimatických podmienkach | Eficiență energetică pentru încălzirea sezonieră a încăperilor în condiții climatice medii | Sezoninio erdvės šildymo energijos našumas esant vidutinėms klimato sąlygoms |
| | sezonowa efektywność energetyczna ogrzewania pomieszczeń(w warunkach klimatu umiarkowanego) | Időszakos besőtérfűtési energiahatékonyság átlagos éghajlati körülmények mellett | Ruumide hooajalise kütte keskmine energiatõhusus keskmistes ilmastikutingimustes | Sezononska energetska učinkovitost grijanja prostora u prosječnim klimatskim uvjetima |
| | сезонната енергийна ефективност при отопление(при средни климатични условия) | Sezononska energijska učinkovitost pri ogrevanju prostorov v povprečnih podnebnih razmerah | Energioefektivitāte standarta klimata apstākļos, sezonāli apsildot telpas | Efikasnost energije za sezonsko grejanje prostora u prosečnim klimatskim uslovima |
| 12 | energetická účinnost ohřevu vody za průměrných klimatických podmínek | Energetická účinnost ohrevu vody pri priemerných klimatických podmienkach | Eficiență energetică pentru încălzirea apei în condiții climatice medii | Vandens šildymo energijos našumas esant vidutinėms klimato sąlygoms |
| | efektywność energetyczna podgrzewania wody(w warunkach klimatu umiarkowanego) | Vízfűtési energiahatékonyság átlagos éghajlati körülmények mellett | Veesoojenduse energiatõhusus keskmistes ilmastikutingimustes | Energetska učinkovitost grijanja vode u prosječnim klimatskim uvjetima |
| | енергийната ефективност при подгръване на вода(при средни климатични условия) | Energijska učinkovitost pri ogrevanju vode v povprečnih podnebnih razmerah | Energioefektivitāte standarta klimata apstākļos, sildot ūdeni | Efikasnost energije za grejanje vode u prosečnim klimatskim uslovima |
| 13 | hladina akustického výkonu L _{WA} ve vnitřním prostoru | Hladina akustického výkonu L _{WA} v interiéri | Nivel de putere acustică L _{WA} interior | Garso galios lygis L _{WA} patalpoje |
| | poziom mocy akustycznej L _{WA} w pomieszczeniu | Hangteljesítményszint L _{WA} beltérben | Siseseadme müravõimsustase L _{WA} | Razina zvučne snage L _{WA} u zatvorenom prostoru |
| | нивото на звуковата мощност L _{WA} на закрито | Raven zvočne moči L _{WA} v notranjih prostorih | Skaņas līmenis L _{WA} telpās | Nivo jačine zvuka unutra L _{WA} |
| 14 | provozu pouze mimo špičku | Prevádzka len mimo špičky | Funcționare numai în afara orei de vârf | Darbas tik ne piko valandomis |
| | pracować jedynie w godzinach poza szczytowym obciążeniem | Csak csúcsidőszakon kívüli működés | Töö vaid tipuvälise koormuse tundide jooksul | Radite samo u vrijeme najmanje potražnje |
| | работи само в часовете извън върховото натоварване | Delovanje le v času manjše porabe | Izmantojot tikai zema elektroenerģijas pieprasījuma stundās | Rad samo izvan vršnih sati |
| 15 | imenovitý tepelný výkon za chladnějších klimatických podmínek | Menovitý tepelný výkon pri chladnejších klimatických podmienkach | Putere termică nominală în condiții de temperatură scăzută | Vardinė šilumos galia esant šaltesnėms klimato sąlygoms |
| | znamionowa moc cieplna w warunkach klimatu chłodnego | Névleges hőleadás hidegebb éghajlati körülmények mellett | Nimisoojusvõimsus külmemates ilmastikutingimustes | Nazivna toplinska snaga u hladnijim klimatskim uvjetima |
| | номиналната топлинна мощност при по-студени климатични условия | Nazivna izhodna toplota v hladnejših podnebnih razmerah | Nominālā siltuma jauda aukstos klimata apstākļos | Nazivna toplotna snaga u hladnijim klimatskim uslovima |
| 16 | imenovitý tepelný výkon za teplejších klimatických podmínek | Menovitý tepelný výkon pri teplejších klimatických podmienkach | Putere termică nominală în condiții de temperatură ridicată | Vardinė šilumos galia esant šiltesnėms klimato sąlygoms |
| | znamionowa moc cieplna w warunkach klimatu ciepłego | Névleges hőleadás melegebb éghajlati körülmények mellett | Nimisoojusvõimsus soojemates ilmastikutingimustes | Nazivna toplinska snaga u toplijim klimatskim uvjetima |
| | номиналната топлинна мощност при по-топли климатични условия | Nazivna izhodna toplota v toplejših podnebnih razmerah | Nominālā siltuma jauda siltos klimata apstākļos | Nazivna toplotna snaga u toplijim klimatskim uslovima |
| 17 | pro vytápění – roční spotřeba energie za chladnější klimatických podmínek | Pri vykurovaní priestorov ročná spotreba energie pri chladnejších klimatických podmienkach | Pentru încălzirea încăperilor, consumul anual de energie în condiții de temperatură scăzută | Metinės energijos sąnaudos erdvei šildyti esant šaltesnėms klimato sąlygoms |
| | w odniesieniu do ogrzewania pomieszczeń, roczne zużycie energii w warunkach klimatu chłodnego | Éves energiafogyasztás hidegebb éghajlati körülmények mellett, besőtérfűtés esetén | Ruumide kütte energiakasutus aastas külmemates ilmastikutingimustes | Za grijanje prostora, godišnja potrošnja energije u hladnijim klimatskim uvjetima |
| | за отопление, годишното потребление на енергия при по-студени климатични условия | Za ogrevanje prostorov, letna poraba energije v hladnejših podnebnih razmerah | Gada enerģijas patēriņš aukstos klimata apstākļos, apsildot telpas | Za grejanje prostora, godišnja potrošnja energije u hladnijim klimatskim uslovima |
| 18 | pro vytápění – roční spotřeba energie za teplejších klimatických podmínek | Pri vykurovaní priestorov ročná spotreba energie pri teplejších klimatických podmienkach | Pentru încălzirea încăperilor, consumul anual de energie în condiții de temperatură ridicată | Metinės energijos sąnaudos erdvei šildyti esant šiltesnėms klimato sąlygoms |
| | w odniesieniu do ogrzewania pomieszczeń, roczne zużycie energii w warunkach klimatu ciepłego | Éves energiafogyasztás melegebb éghajlati körülmények mellett, besőtérfűtés esetén | Ruumide kütte energiakasutus aastas soojemates ilmastikutingimustes | Za grijanje prostora, godišnja potrošnja energije u toplijim klimatskim uvjetima |
| | за отопление, годишното потребление на енергия при по-топли климатични условия | Za ogrevanje prostorov, letna poraba energije v toplejših podnebnih razmerah | Gada enerģijas patēriņš siltos klimata apstākļos, apsildot telpas | Za grejanje prostora, godišnja potrošnja energije u toplijim klimatskim uslovima |
| 19 | pro ohřev vody – roční spotřeba elektrické energie za chladnějších klimatických podmínek | Pri ohreve vody ročná spotreba energie pri chladnejších klimatických podmienkach | Pentru încălzirea apei, consumul anual de energie în condiții de temperatură scăzută | Metinės energijos sąnaudos vandeniui šildyti esant šaltesnėms klimato sąlygoms |
| | w odniesieniu do podgrzewania wody, roczne zużycie energii elektrycznej w warunkach klimatu chłodnego | Éves elektromosáram-fogyasztás hidegebb éghajlati körülmények mellett, vízfűtés esetén | Veesoojenduse energiakasutus aastas külmemates ilmastikutingimustes | Za grijanje vode, godišnja potrošnja energije u hladnijim klimatskim uvjetima |
| | за подгръване на вода, годишното потребление на електроенергия при по-студени климатични условия | Za ogrevanje vode, letna poraba energije v hladnejših podnebnih razmerah | Gada enerģijas patēriņš aukstos klimata apstākļos, sildot ūdeni | Za grejanje vode, godišnja potrošnja energije u hladnijim klimatskim uslovima |
| 20 | pro ohřev vody – roční spotřeba elektrické energie za teplejších klimatických podmínek | Pri ohreve vody ročná spotreba energie pri teplejších klimatických podmienkach | Pentru încălzirea apei, consumul anual de energie în condiții de temperatură ridicată | Metinės energijos sąnaudos vandeniui šildyti esant šiltesnėms klimato sąlygoms |
| | w odniesieniu do podgrzewania wody, roczne zużycie energii elektrycznej w warunkach klimatu ciepłego | Éves energiafogyasztás hidegebb melegebb éghajlati körülmények mellett, besőtérfűtés esetén | Veesoojenduse energiakasutus aastas soojemates ilmastikutingimustes | Za grijanje vode, godišnja potrošnja energije u toplijim klimatskim uvjetima |
| | за подгръване на вода, годишното потребление на електроенергия при по-топли климатични условия | Za ogrevanje vode, letna poraba energije v toplejših podnebnih razmerah | Gada enerģijas patēriņš siltos klimata apstākļos, sildot ūdeni | Za grejanje vode, godišnja potrošnja energije u toplijim klimatskim uslovima |
| 21 | sezonní energetická účinnost vytápění za chladnějších klimatických podmínek | Energetická účinnost sezónneho vykurovania priestorov pri chladnejších klimatických podmienkach | Eficiență energetică pentru încălzirea sezonieră a încăperilor în condiții de temperatură scăzută | Sezoninio erdvės šildymo energijos našumas esant šaltesnėms klimato sąlygoms |
| | sezonowa efektywność energetyczna ogrzewania pomieszczeń w warunkach klimatu chłodnego | Időszakos besőtérfűtési energiahatékonyság hidegebb éghajlati körülmények mellett | Ruumide hooajalise kütte energiatõhusus külmemates ilmastikutingimustes | Sezononska energetska učinkovitost grijanja prostora u hladnijim klimatskim uvjetima |
| | сезонната енергийна ефективност при отопление при по-студени климатични условия | Sezononska energijska učinkovitost pri ogrevanju prostorov v hladnejših podnebnih razmerah | Energioefektivitāte aukstos klimata apstākļos, sezonāli apsildot telpas | Efikasnost energije za sezonsko grejanje prostora u hladnijim klimatskim uslovima |
| 22 | sezonní energetická účinnost vytápění za teplejších klimatických podmínek | Energetická účinnost sezónneho vykurovania priestorov pri teplejších klimatických podmienkach | Eficiență energetică pentru încălzirea sezonieră a încăperilor în condiții de temperatură ridicată | Sezoninio erdvės šildymo energijos našumas esant šiltesnėms klimato sąlygoms |
| | sezonowa efektywność energetyczna ogrzewania pomieszczeń w warunkach klimatu ciepłego | Időszakos besőtérfűtési energiahatékonyság melegebb éghajlati körülmények mellett | Ruumide hooajalise kütte energiatõhusus soojemates ilmastikutingimustes | Sezononska energetska učinkovitost grijanja prostora u toplijim klimatskim uvjetima |
| | сезонната енергийна ефективност при отопление при по-топли климатични условия | Sezononska energijska učinkovitost pri ogrevanju prostorov v toplejših podnebnih razmerah | Energioefektivitāte siltos klimata apstākļos, sezonāli apsildot telpas | Efikasnost energije za sezonsko grejanje prostora u toplijim klimatskim uslovima |
| 23 | energetická účinnost ohřevu vody za chladnějších klimatických podmínek | Energetická účinnost ohrevu vody pri chladnejších klimatických podmienkach | Eficiență energetică pentru încălzirea apei în condiții de temperatură scăzută | Vandens šildymo energijos našumas esant šaltesnėms klimato sąlygoms |
| | efektywność energetyczna podgrzewania wody w warunkach klimatu chłodnego | Vízfűtési energiahatékonyság hidegebb éghajlati körülmények mellett | Veesoojenduse energiatõhusus külmemates ilmastikutingimustes | Energetska učinkovitost grijanja vode u hladnijim klimatskim uvjetima |
| | енергийната ефективност при подгръване на вода при по-студени климатични условия | Energijska učinkovitost pri ogrevanju vode v hladnejših podnebnih razmerah | Energioefektivitāte aukstos klimata apstākļos, sildot ūdeni | Efikasnost energije za grejanje vode u hladnijim klimatskim uslovima |
| 24 | energetická účinnost ohřevu vody za teplejších klimatických podmínek | Energetická účinnost ohrevu vody pri teplejších klimatických podmienkach | Eficiență energetică pentru încălzirea apei în condiții de temperatură ridicată | Vandens šildymo energijos našumas esant šiltesnėms klimato sąlygoms |
| | efektywność energetyczna podgrzewania wody w warunkach klimatu ciepłego | Vízfűtési energiahatékonyság melegebb éghajlati körülmények mellett | Veesoojenduse energiatõhusus soojemates ilmastikutingimustes | Energetska učinkovitost grijanja vode u toplijim klimatskim uvjetima |
| | енергийната ефективност при подгръване на вода при по-топли климатични условия | Energijska učinkovitost pri ogrevanju vode v toplejših podnebnih razmerah | Energioefektivitāte siltos klimata apstākļos, sildot ūdeni | Efikasnost energije za grejanje vode u toplijim klimatskim uslovima |
| 25 | hladina akustického výkonu L _{WA} ve venkovním prostoru | Hladina akustického výkonu L _{WA} v exteriéri | Nivel de putere acustică L _{WA} exterior | Garso galios lygis L _{WA} lauke |
| | poziom mocy akustycznej L _{WA} na zewnątrz | Hangteljesítményszint L _{WA} kültérben | Välisseadme müravõimsustase L _{WA} | Razina zvučne snage L _{WA} na otvorenom |
| | нивото на звуковата мощност L _{WA} на открито | Raven zvočne moči L _{WA} v zunanjih prostorih | Skaņas līmenis L _{WA} ārpusē | Nivo jačine zvuka spolja L _{WA} |

PRODUCT INFORMATION / TECHNICAL DOCUMENTATION

| | | |
|---------------------------------------|---------------|---------------------------------|
| Model(s): | Outdoor unit: | SUZ-SWM80VA2 |
| | Indoor unit: | ERST30D-VM2EE |
| Air-to-water heat pump: | | yes |
| Water-to-water heat pump: | | no |
| Brine-to-water heat pump: | | no |
| Low-temperature heat pump: | | no |
| Equipped with a supplementary heater: | | yes |
| Heat pump combination heater: | | yes |
| Parameters for | | medium-temperature application. |
| Parameters for | | average climate conditions. |

| Item | Symbol | Value | Unit |
|---|----------------------|-------|------|
| Rated heat output (*) | Prated | 7.0 | kW |
| Declared capacity for heating for part load at indoor temperature 20°C and outdoor temperature T _j | | | |
| T _j = - 7°C | P _{dH} | 6.2 | kW |
| Degradation co-efficient(**) | C _{dH} | 1.00 | |
| T _j = + 2°C | P _{dH} | 3.8 | kW |
| Degradation co-efficient(**) | C _{dH} | 0.99 | |
| T _j = + 7°C | P _{dH} | 3.1 | kW |
| Degradation co-efficient(**) | C _{dH} | 0.98 | |
| T _j = + 12°C | P _{dH} | 3.9 | kW |
| Degradation co-efficient(**) | C _{dH} | 0.97 | |
| T _j = bivalent temperature | P _{dH} | 6.2 | kW |
| T _j = operation limit temperature(***) | P _{dH} | 5.8 | kW |
| Bivalent temperature | T _{biv} | -7 | °C |
| Reference design conditions for space heating | T _{designH} | -10 | °C |
| Power consumption in modes other than active mode | | | |
| Off mode | P _{OFF} | 0.015 | kW |
| Thermostat-off mode | P _{TO} | 0.015 | kW |
| Standby mode | P _{SB} | 0.015 | kW |
| Crankcase heater mode | P _{CK} | 0.000 | kW |

| | | | |
|-------------------------------------|-----------------|----------|-----|
| Other items | | | |
| Capacity control | | variable | |
| Sound power level, indoors/outdoors | L _{WA} | 41 / 60 | dB |
| Annual energy consumption | Q _{HE} | 4207 | kWh |

| | | | |
|-----------------------------------|-------------------|-------|-----|
| For heat pump combination heater: | | | |
| Declared load profile | | XL | |
| Daily electricity consumption | Q _{elec} | 6.260 | kWh |
| Annual electricity consumption | AEC | 1377 | kWh |

| | | | |
|--|--|---|--|
| Contact details | | | |
| MITSUBISHI ELECTRIC CONSUMER PRODUCTS (THAILAND) CO., LTD. | | 700/406 moo 7, Tambon don hua roh, Amphur muang, chonburi 20000, Thailand | |

The identification and signature of the person empowered to bind the supplier:



| Item | Symbol | Value | Unit |
|---|------------------|------------|------|
| Seasonal space heating energy efficiency | η _s | 135 | % |
| Declared coefficient of performance or primary energy ratio for part load at indoor temperature 20°C and outdoor temperature T _j | | | |
| T _j = - 7°C | COP _d | 1.91 | |
| T _j = + 2°C | COP _d | 3.39 | |
| T _j = + 7°C | COP _d | 4.69 | |
| T _j = + 12°C | COP _d | 6.67 | |
| T _j = bivalent temperature | COP _d | 1.91 | |
| T _j = operation limit temperature(***) | COP _d | 1.68 | |
| Operation limit temperature | TOL | -25 | °C |
| Heating water operating limit temperature | WTOL | 60 | °C |
| Supplementary heater | | | |
| Rated heat output(*) | P _{sup} | 1.2 | kW |
| Type of energy input | | Electrical | |

| | | |
|-------------------------------|------|------|
| Rated air flow rate, outdoors | 2790 | m³/h |
|-------------------------------|------|------|

| | | | |
|---------------------------------|-----------------|-----|---|
| Water heating energy efficiency | η _{wh} | 125 | % |
|---------------------------------|-----------------|-----|---|

Tadashi SAITO
Manager, Quality Assurance Department
THAILAND

· Details and precautions on installation, maintenance and assembly can be found in the installation and or operation manuals.

· Details and precautions on recycling and/or disposal at end-of-life can be found in the installation and or operation manuals.

(*) For heat pump space heaters and heat pump combination heaters, the rated heat output Prated is equal to the design load for heating PdesignH, and the rated heat output of a supplementary heater Psup is equal to the supplementary capacity for heating sup(Tj).

(**) If C_{dH} is not determined by measurement then the default degradation coefficient is C_{dH} = 0.9.

(***) If the declared TOL is lower than the T_{designH} of the considered climate then the outdoor dry bulb temperature T_j is equal to T_{designH}.

This information is based on EU regulation No 811/2013 and No 813/2013.

PRODUCT INFORMATION / TECHNICAL DOCUMENTATION

| | | |
|---------------------------------------|------------------------------|---------------|
| Model(s): | Outdoor unit: | SUZ-SWM80VA2 |
| | Indoor unit: | ERST30D-VM2EE |
| Air-to-water heat pump: | | yes |
| Water-to-water heat pump: | | no |
| Brine-to-water heat pump: | | no |
| Low-temperature heat pump: | | no |
| Equipped with a supplementary heater: | | yes |
| Heat pump combination heater: | | yes |
| Parameters for | low-temperature application. | |
| Parameters for | average climate conditions. | |

| Item | Symbol | Value | Unit | Item | Symbol | Value | Unit | | | |
|--|------------------|---------|------|--|------------------|-------|------|--|--|--|
| Rated heat output (*) | Prated | 6.6 | kW | Seasonal space heating energy efficiency | ηs | 187 | % | | | |
| Declared capacity for heating for part load at indoor temperature 20°C and outdoor temperature T j | | | | Declared coefficient of performance or primary energy ratio for part load at indoor temperature 20°C and outdoor temperature T j | | | | | | |
| Tj = - 7°C | Pdh | 5.9 | kW | Tj = - 7°C | COPd | 3.16 | | | | |
| Degradation co-efficient(**) | Cdh | 0.99 | | | | | | | | |
| Tj = + 2°C | Pdh | 4.4 | kW | Tj = + 2°C | COPd | 4.61 | | | | |
| Degradation co-efficient(**) | Cdh | 0.98 | | | | | | | | |
| Tj = + 7°C | Pdh | 3.4 | kW | Tj = + 7°C | COPd | 6.22 | | | | |
| Degradation co-efficient(**) | Cdh | 0.97 | | | | | | | | |
| Tj = + 12°C | Pdh | 3.7 | kW | Tj = + 12°C | COPd | 7.38 | | | | |
| Degradation co-efficient(**) | Cdh | 0.97 | | | | | | | | |
| Tj = bivalent temperature | Pdh | 6.6 | kW | Tj = bivalent temperature | COPd | 2.40 | | | | |
| Tj = operation limit temperature(***) | Pdh | 6.6 | kW | Tj = operation limit temperature(***) | COPd | 2.40 | | | | |
| | | | | | | | | | | |
| Bivalent temperature | Tbiv | -10 | °C | Operation limit temperature | TOL | -25 | °C | | | |
| Reference design conditions for space heating | Tdesignh | -10 | °C | Heating water operating limit temperature | WTOL | 60 | °C | | | |
| Power consumption in modes other than active mode | | | | Supplementary heater | | | | | | |
| Off mode | P _{OFF} | 0.015 | kW | Rated heat output(*) | P _{sup} | 0.0 | kW | | | |
| Thermostat-off mode | P _{TO} | 0.015 | kW | Type of energy input | Electrical | | | | | |
| Standby mode | P _{SB} | 0.015 | kW | | | | | | | |
| Crankcase heater mode | P _{CK} | 0.000 | kW | | | | | | | |
| Other items | | | | | | | | | | |
| Capacity control | variable | | | Rated air flow rate, outdoors | | | | | | |
| Sound power level, indoors/outdoors | L _{WA} | 41 / 60 | dB | | | | | | | |
| Annual energy consumption | Q _{HE} | 2874 | kWh | | | | | | | |
| For heat pump combination heater: | | | | | | | | | | |
| Declared load profile | XL | | | Water heating energy efficiency | | | | | | |
| Daily electricity consumption | Qelec | 6.260 | kWh | | | | | | | |
| Annual electricity consumption | AEC | 1377 | kWh | | | | | | | |

| | |
|--|---|
| Contact details | |
| MITSUBISHI ELECTRIC CONSUMER PRODUCTS (THAILAND) CO., LTD. | 700/406 moo 7, Tambon don hua roh, Amphur muang, chonburi 20000, Thailand |
| The identification and signature of the person empowered to bind the supplier: | |
| The signature is signed in the average climate / medium-temperature section. | Tadashi SAITO Manager, Quality Assurance Department THAILAND |

·Details and precautions on installation, maintenance and assembly can be found in the installation and or operation manuals.

·Details and precautions on recycling and/or disposal at end-of-life can be found in the installation and or operation manuals.

(*) For heat pump space heaters and heat pump combination heaters, the rated heat output Prated is equal to the design load for heating Pdesignh, and the rated heat output of a supplementary heater Psup is equal to the supplementary capacity for heating sup(Tj).

(**) If Cdh is not determined by measurement then the default degradation coefficient is Cdh = 0.9.

(***) If the declared TOL is lower than the T designh of the considered climate then the outdoor dry bulb temperature Tj is equal to T designh.

PRODUCT INFORMATION / TECHNICAL DOCUMENTATION

| | | |
|---------------------------------------|---------------|---------------------------------|
| Model(s): | Outdoor unit: | SUZ-SWM80VA2 |
| | Indoor unit: | ERST30D-VM2EE |
| Air-to-water heat pump: | | yes |
| Water-to-water heat pump: | | no |
| Brine-to-water heat pump: | | no |
| Low-temperature heat pump: | | no |
| Equipped with a supplementary heater: | | yes |
| Heat pump combination heater: | | yes |
| Parameters for | | medium-temperature application. |
| Parameters for | | colder climate conditions. |

| Item | Symbol | Value | Unit | Item | Symbol | Value | Unit | | | |
|--|-------------------|---------|------|--|------------------|-------|------|--|--|--|
| Rated heat output (*) | Prated | 5.5 | kW | Seasonal space heating energy efficiency | ηs | 105 | % | | | |
| Declared capacity for heating for part load at indoor temperature 20°C and outdoor temperature T j | | | | Declared coefficient of performance or primary energy ratio for part load at indoor temperature 20°C and outdoor temperature T j | | | | | | |
| Tj = - 7°C | Pdh | 3.4 | kW | Tj = - 7°C | COPd | 2.35 | | | | |
| Degradation co-efficient(**) | Cdh | 0.99 | | | | | | | | |
| Tj = + 2°C | Pdh | 3.4 | kW | Tj = + 2°C | COPd | 3.44 | | | | |
| Degradation co-efficient(**) | Cdh | 0.98 | | | | | | | | |
| Tj = + 7°C | Pdh | 3.3 | kW | Tj = + 7°C | COPd | 5.18 | | | | |
| Degradation co-efficient(**) | Cdh | 0.98 | | | | | | | | |
| Tj = + 12°C | Pdh | 3.6 | kW | Tj = + 12°C | COPd | 6.35 | | | | |
| Degradation co-efficient(**) | Cdh | 0.97 | | | | | | | | |
| Tj = bivalent temperature | Pdh | 4.5 | kW | Tj = bivalent temperature | COPd | 1.19 | | | | |
| Tj = operation limit temperature(***) | Pdh | 3.8 | kW | Tj = operation limit temperature(***) | COPd | 1.12 | | | | |
| Tj = - 15°C (if TOL < - 20°C) | Pdh | 4.5 | kW | Tj = - 15°C (if TOL < - 20°C) | COPd | 1.19 | | | | |
| Bivalent temperature | Tbiv | -15 | °C | Operation limit temperature | TOL | -18 | °C | | | |
| Reference design conditions for space heating | Tdesignh | -22 | °C | Heating water operating limit temperature | WTOL | 60 | °C | | | |
| Power consumption in modes other than active mode | | | | Supplementary heater | | | | | | |
| Off mode | P _{OFF} | 0.015 | kW | Rated heat output(*) | P _{sup} | 5.5 | kW | | | |
| Thermostat-off mode | P _{TO} | 0.015 | kW | Type of energy input | Electrical | | | | | |
| Standby mode | P _{SB} | 0.015 | kW | | | | | | | |
| Crankcase heater mode | P _{CK} | 0.000 | kW | | | | | | | |
| Other items | | | | | | | | | | |
| Capacity control | variable | | | Rated air flow rate, outdoors | | | | | | |
| Sound power level, indoors/outdoors | L _{WA} | 41 / 60 | dB | | | | | | | |
| Annual energy consumption | Q _{HE} | 5002 | kWh | | | | | | | |
| For heat pump combination heater: | | | | | | | | | | |
| Declared load profile | XL | | | Water heating energy efficiency | | | | | | |
| Daily electricity consumption | Q _{elec} | 7.740 | kWh | | | | | | | |
| Annual electricity consumption | AEC | 1704 | kWh | | | | | | | |

| | | |
|--|---|--|
| Contact details | | |
| MITSUBISHI ELECTRIC CONSUMER PRODUCTS (THAILAND) CO., LTD. | 700/406 moo 7, Tambon don hua roh, Amphur muang, chonburi 20000, Thailand | |
| The identification and signature of the person empowered to bind the supplier: | | |
| The signature is signed in the average climate / medium-temperature section. | Tadashi SAITO Manager, Quality Assurance Department THAILAND | |

·Details and precautions on installation, maintenance and assembly can be found in the installation and or operation manuals.

·Details and precautions on recycling and/or disposal at end-of-life can be found in the installation and or operation manuals.

(*) For heat pump space heaters and heat pump combination heaters, the rated heat output Prated is equal to the design load for heating Pdesignh, and the rated heat output of a supplementary heater Psup is equal to the supplementary capacity for heating sup(Tj).

(**) If Cdh is not determined by measurement then the default degradation coefficient is Cdh = 0.9.

(***) If the declared TOL is lower than the T designh of the considered climate then the outdoor dry bulb temperature Tj is equal to T designh.

PRODUCT INFORMATION / TECHNICAL DOCUMENTATION

| | | |
|---------------------------------------|---------------|------------------------------|
| Model(s): | Outdoor unit: | SUZ-SWM80VA2 |
| | Indoor unit: | ERST30D-VM2EE |
| Air-to-water heat pump: | | yes |
| Water-to-water heat pump: | | no |
| Brine-to-water heat pump: | | no |
| Low-temperature heat pump: | | no |
| Equipped with a supplementary heater: | | yes |
| Heat pump combination heater: | | yes |
| Parameters for | | low-temperature application. |
| Parameters for | | colder climate conditions. |

| Item | Symbol | Value | Unit | Item | Symbol | Value | Unit | | | |
|--|-------------------|---------|------|--|------------------|-------|------|--|--|--|
| Rated heat output (*) | Prated | 5.8 | kW | Seasonal space heating energy efficiency | ηs | 148 | % | | | |
| Declared capacity for heating for part load at indoor temperature 20°C and outdoor temperature T j | | | | Declared coefficient of performance or primary energy ratio for part load at indoor temperature 20°C and outdoor temperature T j | | | | | | |
| Tj = - 7°C | Pdh | 3.5 | kW | Tj = - 7°C | COPd | 3.30 | | | | |
| Degradation co-efficient(**) | Cdh | 0.99 | | | | | | | | |
| Tj = + 2°C | Pdh | 3.6 | kW | Tj = + 2°C | COPd | 4.53 | | | | |
| Degradation co-efficient(**) | Cdh | 0.98 | | | | | | | | |
| Tj = + 7°C | Pdh | 3.4 | kW | Tj = + 7°C | COPd | 6.48 | | | | |
| Degradation co-efficient(**) | Cdh | 0.97 | | | | | | | | |
| Tj = + 12°C | Pdh | 3.6 | kW | Tj = + 12°C | COPd | 7.28 | | | | |
| Degradation co-efficient(**) | Cdh | 0.97 | | | | | | | | |
| Tj = bivalent temperature | Pdh | 4.7 | kW | Tj = bivalent temperature | COPd | 1.93 | | | | |
| Tj = operation limit temperature(***) | Pdh | 5.7 | kW | Tj = operation limit temperature(***) | COPd | 1.70 | | | | |
| Tj = - 15°C (if TOL < - 20°C) | Pdh | 4.7 | kW | Tj = - 15°C (if TOL < - 20°C) | COPd | 1.93 | | | | |
| Bivalent temperature | Tbiv | -15 | °C | Operation limit temperature | TOL | -25 | °C | | | |
| Reference design conditions for space heating | Tdesignh | -22 | °C | Heating water operating limit temperature | WTOL | 60 | °C | | | |
| Power consumption in modes other than active mode | | | | Supplementary heater | | | | | | |
| Off mode | P _{OFF} | 0.015 | kW | Rated heat output(*) | P _{sup} | 0.1 | kW | | | |
| Thermostat-off mode | P _{TO} | 0.015 | kW | Type of energy input | Electrical | | | | | |
| Standby mode | P _{SB} | 0.015 | kW | | | | | | | |
| Crankcase heater mode | P _{CK} | 0.000 | kW | | | | | | | |
| Other items | | | | | | | | | | |
| Capacity control | variable | | | Rated air flow rate, outdoors | | | | | | |
| Sound power level, indoors/outdoors | L _{WA} | 41 / 60 | dB | | | | | | | |
| Annual energy consumption | Q _{HE} | 3797 | kWh | | | | | | | |
| For heat pump combination heater: | | | | | | | | | | |
| Declared load profile | XL | | | Water heating energy efficiency | η _{wh} | 101 | % | | | |
| Daily electricity consumption | Q _{elec} | 7.740 | kWh | | | | | | | |
| Annual electricity consumption | AEC | 1704 | kWh | | | | | | | |

| | | |
|--|---|--|
| Contact details | | |
| MITSUBISHI ELECTRIC CONSUMER PRODUCTS (THAILAND) CO., LTD. | 700/406 moo 7, Tambon don hua roh, Amphur muang, chonburi 20000, Thailand | |
| The identification and signature of the person empowered to bind the supplier: | | |
| The signature is signed in the average climate / medium-temperature section. | Tadashi SAITO Manager, Quality Assurance Department THAILAND | |

·Details and precautions on installation, maintenance and assembly can be found in the installation and or operation manuals.

·Details and precautions on recycling and/or disposal at end-of-life can be found in the installation and or operation manuals.

(*) For heat pump space heaters and heat pump combination heaters, the rated heat output Prated is equal to the design load for heating Pdesignh, and the rated heat output of a supplementary heater Psup is equal to the supplementary capacity for heating sup(Tj).

(**) If Cdh is not determined by measurement then the default degradation coefficient is Cdh = 0,9.

(***) If the declared TOL is lower than the T designh of the considered climate then the outdoor dry bulb temperature Tj is equal to T designh.

PRODUCT INFORMATION / TECHNICAL DOCUMENTATION

| | | |
|---------------------------------------|---------------|---------------------------------|
| Model(s): | Outdoor unit: | SUZ-SWM80VA2 |
| | Indoor unit: | ERST30D-VM2EE |
| Air-to-water heat pump: | | yes |
| Water-to-water heat pump: | | no |
| Brine-to-water heat pump: | | no |
| Low-temperature heat pump: | | no |
| Equipped with a supplementary heater: | | yes |
| Heat pump combination heater: | | yes |
| Parameters for | | medium-temperature application. |
| Parameters for | | warmer climate conditions. |

| Item | Symbol | Value | Unit | Item | Symbol | Value | Unit | | | |
|--|------------------|---------|------|--|------------|-------|------|--|--|--|
| Rated heat output (*) | Prated | 7.5 | kW | Seasonal space heating energy efficiency | ηs | 176 | % | | | |
| Declared capacity for heating for part load at indoor temperature 20°C and outdoor temperature T j | | | | Declared coefficient of performance or primary energy ratio for part load at indoor temperature 20°C and outdoor temperature T j | | | | | | |
| Tj = - 7°C | Pdh | - | kW | Tj = - 7°C | COPd | - | | | | |
| Degradation co-efficient(**) | Cdh | - | | | | | | | | |
| Tj = + 2°C | Pdh | 7.5 | kW | Tj = + 2°C | COPd | 2.16 | | | | |
| Degradation co-efficient(**) | Cdh | 1.00 | | | | | | | | |
| Tj = + 7°C | Pdh | 4.8 | kW | Tj = + 7°C | COPd | 4.05 | | | | |
| Degradation co-efficient(**) | Cdh | 0.99 | | | | | | | | |
| Tj = + 12°C | Pdh | 3.6 | kW | Tj = + 12°C | COPd | 5.60 | | | | |
| Degradation co-efficient(**) | Cdh | 0.98 | | | | | | | | |
| Tj = bivalent temperature | Pdh | 7.5 | kW | Tj = bivalent temperature | COPd | 2.16 | | | | |
| Tj = operation limit temperature(***) | Pdh | 7.5 | kW | Tj = operation limit temperature(***) | COPd | 2.16 | | | | |
| | | | | | | | | | | |
| Bivalent temperature | Tbiv | 2 | °C | Operation limit temperature | TOL | -25 | °C | | | |
| Reference design conditions for space heating | Tdesignh | 2 | °C | Heating water operating limit temperature | WTOL | 60 | °C | | | |
| Power consumption in modes other than active mode | | | | Supplementary heater | | | | | | |
| Off mode | P _{OFF} | 0.015 | kW | Rated heat output(*) | Psup | 0.0 | kW | | | |
| Thermostat-off mode | P _{TO} | 0.015 | kW | Type of energy input | Electrical | | | | | |
| Standby mode | P _{SB} | 0.015 | kW | | | | | | | |
| Crankcase heater mode | P _{CK} | 0.000 | kW | | | | | | | |
| Other items | | | | | | | | | | |
| Capacity control | variable | | | Rated air flow rate, outdoors | | | | | | |
| Sound power level, indoors/outdoors | L _{WA} | 41 / 60 | dB | 2790 m³/h | | | | | | |
| Annual energy consumption | Q _{HE} | 2239 | kWh | | | | | | | |
| For heat pump combination heater: | | | | | | | | | | |
| Declared load profile | XL | | | Water heating energy efficiency | | | | | | |
| Daily electricity consumption | Qelec | 5.170 | kWh | ηwh | 152 | % | | | | |
| Annual electricity consumption | AEC | 1138 | kWh | | | | | | | |

| | |
|--|---|
| Contact details | |
| MITSUBISHI ELECTRIC CONSUMER PRODUCTS (THAILAND) CO., LTD. | 700/406 moo 7, Tambon don hua roh, Amphur muang, chonburi 20000, Thailand |
| The identification and signature of the person empowered to bind the supplier: | |
| The signature is signed in the average climate / medium-temperature section. | Tadashi SAITO Manager, Quality Assurance Department THAILAND |

·Details and precautions on installation, maintenance and assembly can be found in the installation and or operation manuals.

·Details and precautions on recycling and/or disposal at end-of-life can be found in the installation and or operation manuals.

(*) For heat pump space heaters and heat pump combination heaters, the rated heat output Prated is equal to the design load for heating Pdesignh, and the rated heat output of a supplementary heater Psup is equal to the supplementary capacity for heating sup(Tj).

(**) If Cdh is not determined by measurement then the default degradation coefficient is Cdh = 0.9.

(***) If the declared TOL is lower than the T designh of the considered climate then the outdoor dry bulb temperature Tj is equal to T designh.

PRODUCT INFORMATION / TECHNICAL DOCUMENTATION

| | | |
|---------------------------------------|---------------|------------------------------|
| Model(s): | Outdoor unit: | SUZ-SWM80VA2 |
| | Indoor unit: | ERST30D-VM2EE |
| Air-to-water heat pump: | | yes |
| Water-to-water heat pump: | | no |
| Brine-to-water heat pump: | | no |
| Low-temperature heat pump: | | no |
| Equipped with a supplementary heater: | | yes |
| Heat pump combination heater: | | yes |
| Parameters for | | low-temperature application. |
| Parameters for | | warmer climate conditions. |

| Item | Symbol | Value | Unit | Item | Symbol | Value | Unit | | | |
|--|------------------|---------|------|--|------------|-------|------|--|--|--|
| Rated heat output (*) | Prated | 7.5 | kW | Seasonal space heating energy efficiency | ηs | 243 | % | | | |
| Declared capacity for heating for part load at indoor temperature 20°C and outdoor temperature T j | | | | Declared coefficient of performance or primary energy ratio for part load at indoor temperature 20°C and outdoor temperature T j | | | | | | |
| Tj = - 7°C | Pdh | - | kW | Tj = - 7°C | COPd | - | | | | |
| Degradation co-efficient(**) | Cdh | - | | | | | | | | |
| Tj = + 2°C | Pdh | 7.5 | kW | Tj = + 2°C | COPd | 3.44 | | | | |
| Degradation co-efficient(**) | Cdh | 0.99 | | | | | | | | |
| Tj = + 7°C | Pdh | 4.9 | kW | Tj = + 7°C | COPd | 6.02 | | | | |
| Degradation co-efficient(**) | Cdh | 0.98 | | | | | | | | |
| Tj = + 12°C | Pdh | 3.7 | kW | Tj = + 12°C | COPd | 7.07 | | | | |
| Degradation co-efficient(**) | Cdh | 0.97 | | | | | | | | |
| Tj = bivalent temperature | Pdh | 7.5 | kW | Tj = bivalent temperature | COPd | 3.44 | | | | |
| Tj = operation limit temperature(***) | Pdh | 7.5 | kW | Tj = operation limit temperature(***) | COPd | 3.44 | | | | |
| | | | | | | | | | | |
| Bivalent temperature | Tbiv | 2 | °C | Operation limit temperature | TOL | -25 | °C | | | |
| Reference design conditions for space heating | Tdesignh | 2 | °C | Heating water operating limit temperature | WTOL | 60 | °C | | | |
| Power consumption in modes other than active mode | | | | Supplementary heater | | | | | | |
| Off mode | P _{OFF} | 0.015 | kW | Rated heat output(*) | Psup | 0.0 | kW | | | |
| Thermostat-off mode | P _{TO} | 0.015 | kW | Type of energy input | Electrical | | | | | |
| Standby mode | P _{SB} | 0.015 | kW | | | | | | | |
| Crankcase heater mode | P _{CK} | 0.000 | kW | | | | | | | |
| Other items | | | | | | | | | | |
| Capacity control | variable | | | Rated air flow rate, outdoors | | | | | | |
| Sound power level, indoors/outdoors | L _{WA} | 41 / 60 | dB | | | | | | | |
| Annual energy consumption | Q _{HE} | 1626 | kWh | | | | | | | |
| For heat pump combination heater: | | | | | | | | | | |
| Declared load profile | XL | | | Water heating energy efficiency | | | | | | |
| Daily electricity consumption | Qelec | 5.170 | kWh | | | | | | | |
| Annual electricity consumption | AEC | 1138 | kWh | | | | | | | |

| | |
|--|---|
| Contact details | |
| MITSUBISHI ELECTRIC CONSUMER PRODUCTS (THAILAND) CO., LTD. | 700/406 moo 7, Tambon don hua roh, Amphur muang, chonburi 20000, Thailand |
| The identification and signature of the person empowered to bind the supplier: | |
| The signature is signed in the average climate / medium-temperature section. | Tadashi SAITO Manager, Quality Assurance Department THAILAND |

·Details and precautions on installation, maintenance and assembly can be found in the installation and or operation manuals.

·Details and precautions on recycling and/or disposal at end-of-life can be found in the installation and or operation manuals.

(*) For heat pump space heaters and heat pump combination heaters, the rated heat output Prated is equal to the design load for heating Pdesignh, and the rated heat output of a supplementary heater Psup is equal to the supplementary capacity for heating sup(Tj).

(**) If Cdh is not determined by measurement then the default degradation coefficient is Cdh = 0.9.

(***) If the declared TOL is lower than the T designh of the considered climate then the outdoor dry bulb temperature Tj is equal to T designh.