Required information for NRVU in COMMISSION REGULATION (EU) No. 1253/2014 ANNEX V

(a)	Manufacturer's name	MITSUBISHI ELECTRIC CORPORATION
(b)	Model name	LGH-250RVXT3-E
(c)	Declared typology	NRVU, BVU
(d)	Type of drive	Multi-speed
(e)	Type of HRS	Other
(f)	Thermal efficiency (%)	74.7
(g)	Nominal flow rate (m3/s)	0.53
(h)	Electric power input (kW)	0.66
(i)	SFPint (W/(m3/s))	709
(j)	Face velocity (m/s)	1.32
(k)	Nominal external pressure (Pa)	109 Pressure balance between indoor side and outdoor side is 1:1
(1)	Internal pressure drop (Pa)	145
(m)	internal pressure drop of non-ventilation components	-
(n)	Efficiency in Regulation (EU) No 327/2011	53.9
(o)	Maximum leakage rate (%)	External: 2.0 Internal: 2.1
(p)	Energy classification of the filters	ISO Coarse 60%
(q)	Visual filter warning	Filter maintenance sign is displayed on the dedicated remote controller. Refer to the Maintenance section in the instruction manual.
(r)	Casing sound power level (dB)	60
(s)	Internet address for disassembly instructions	http://erp.mitsubishielectric.eu/

MITSUBISHI ELECTRIC CORPORATION

Manufactured by: MITSUBISHI ELECTRIC CORPORATION
TOKYO BLDG., 2-7-3, MARUNOUCHI, CHIYODA-KU, TOKYO 100-8310, JAPAN

N24HHGT0013 1st issue: 15/Apr/2024